


CLEAN COPY OF CLAIMS

3. An agent for preventing and curing arteriosclerosis according to claim 1, wherein said arteriosclerosis is atherosclerosis.

A1
4. An agent for preventing and curing arteriosclerosis according to claim 1, which is an aqueous preparation.

5. A method for preventing and curing arteriosclerosis, the method comprising administering to a subject an agent having as an active component thereof a chromanol glucoside represented by the following general formula (1)



09890562-100901
T0600T-29506860
A2
(wherein R^1 , R^2 , R^3 , and R^4 are the same or different and are each a hydrogen atom or a lower alkyl group, R^5 is a hydrogen atom, a lower alkyl group, or a lower acyl group, X is a monosaccharide residue or an oligosaccharide residue optionally having a lower alkyl group or a lower acyl group substitute for the hydrogen atom of the hydroxyl group in the saccharide residue, n is an integer in the range of 0-6, and m is an integer in the range of 1-6).

6. The method of claim 5 wherein said chromanol glucoside is 2-(α -D-glucopyranosyl)methyl-2,5,7,8-tetramethylchroman-6-ol.

7. The method of claim 5 wherein said arteriosclerosis is atherosclerosis.

8. The method of claim 1 wherein said agent is an aqueous preparation.

A2
cont

9. The method of claim 5 wherein the agent is administered orally.

10. The method of claim 5 wherein the agent is administered non-orally.

09890552-1000T-29506860